

enviro collection®

PVC FREE SCREEN FABRICS



LYNX

DESIGN: LYNX
 COMPOSITION:..... 100% Polyester
 OPENNESS FACTOR: 3%
 WIDTH:..... 300cm
 WEIGHT: 250gsm
 ROLL SIZE: 25m
 COLOURFASTNESS TO LIGHT: 6-8
 FABRIC THICKNESS: 0.44mm
 TENSILE STRENGTH:..... Warp 1870 N, Weft 1490 N
 TEAR STRENGTH:..... Warp 150 N, Weft 123 N
 FR CLASSIFICATION:..... Tested to AS1530.2 & NFPA 701
 CUTTING:..... Ultrasonic, Knife, Crush or Pressure

Suitable for:



PANEL



ROLLER

Note: Blades must be sharp




Solar Optical Properties

Colour	Solar Optical Properties				G-Factor				Light Fastness
	Ts	Rs	As	Tv	gtot-A	gtot-B	gtot-C	gtot-D	
SNOW	28.99	63.90	7.11	29.29	0.38	0.39	0.37	0.25	6
IVORY	28.61	63.89	7.51	29.17	0.38	0.39	0.37	0.25	8
NATURAL	25.98	60.50	13.52	24.71	0.39	0.40	0.38	0.26	8
EGGSHELL	24.77	58.14	17.10	21.46	0.41	0.41	0.38	0.26	8
PEBBLE	21.39	50.90	27.71	18.35	0.44	0.45	0.41	0.26	8
NOMAD	14.32	39.07	46.61	11.47	0.50	0.50	0.44	0.27	8
PEWTER	11.39	30.74	57.87	10.34	0.55	0.54	0.47	0.28	8
SILVER	17.05	47.94	35.01	14.06	0.46	0.46	0.42	0.27	6
STEEL	7.06	13.96	78.98	6.69	0.64	0.63	0.52	0.30	8
EBONY	6.26	4.86	88.88	5.99	0.69	0.67	0.55	0.30	8

Ts: Solar Transmittance As: Solar Absorbance
 Rs: Solar Reflectance Tv: Visual Transmittance *Clear Glass

CARE: Fabric should be regularly dusted/vacuumed as appropriate.
 May be wiped with warm water and mild detergent

10 COLOURS



SNOW IVORY NATURAL EGGSHELL PEBBLE SILVER NOMAD PEWTER STEEL EBONY



Established in 1926

phone: 1300 656 100

email: sales@wilsonfabrics.com.au

WWW.WILSONFABRICS.COM.AU